PATENT COOPERATION TREATY

PCT

INTERNATIONAL SEARCH REPORT

(PCT Article 18 and Rules 43 and 44)

Applicant's or agent's file reference AZ05-276WOWW	FOR FURTHER ACTION as	see Form PCT/ISA/220 well as, where applicable, item 5 below.
International application No. PCT/KR 2005/003758	International filing date (day/month/year) 8 November 2005 (08.11.2005)	(Earliest) Priority Date (day/month/year) 16 November 2004 (16.11.2004)
Applicant	LG ELECTRONICS INC.	
This international search report has been according to Article 18. A copy is being	en prepared by this International Searching Auth ng transmitted to the International Bureau.	nority and is transmitted to the applicant
This international search report consist	ts of a total of4_ sheets.	
☐ It is also accompanied b	y a copy of each prior art document cited in this	report.
language in which it was filed,	e international search was carried out on the bas unless otherwise indicated under this item.	sis of the international application in the
to this Authori	ty (Rule 23.1(b)).	
b. With regard to any nucleon	tide and/or amino acid sequence disclosed in t	the international application, see continuation of this first sheet.
2. Certain claims were fo	und unsearchable (see continuation of this firs	t sheet)
	cking (see continuation of this first sheet)	
4. With regard to the title,		
the text is approved as s		
the text has been establi	shed by this Authority to read as follows:	
·		
5. With regard to the abstract,		
the text is approved as s		the continuation of this first
sheet. The applicant ma comments to this Author	ay, within one month from the date of mailing o	ity as it appears in the continuation of this first first first first first first first international search report, submit
6. With regard to the drawings,		2
a. the figure of the drawir	ngs to be published with the abstract is Figure N	o. <u>3</u>
as suggested by the app		~
B .	nority, because the applicant failed to suggest a	
1	nority, because this figure better characterizes th	e invention.
b. In none of the figures is to b	e published with the abstract.	

INTERNATIONAL SEARCH REPORT

International application No. PCT/KR 2005/003758

Continuation of first sheet

Continuation No. IV:

Text of the abstract

(Continuation of item 5 of the first sheet)

Objects of the present invention is to provide an outer rotor (R) of a motor for a direct drive drum type washing machine, in which a structure of the outer rotor is improved, to resolve throbbing of the outer rotor at the time of high speed rotation, and consequential noise, and to provide a variety of products. For this, the outer rotor having a rotor frame (100) with a bottom (110), a side wall (120) extended from a circumference of the bottom substantially perpendicular to the bottom, and magnets mounted on an inside of the side wall, wherein the bottom of the rotor frame is elevated in a direction of extension of the side wall on the whole.

INTERNATIONAL SEARCH REPORT

International application No. PCT/KR 2005/003758

B. FIELDS	International Patent Classification (IPC) or to both nation SEARCHED		
Minimum doo IPC ⁸ : H02	cumentation searched (classification system followed by ${\sf K}$	y classification symbols)	
Documentation	on searched other than minimum documentation to the e	extent that such documents are included	in the fields searched
	ta base consulted during the international search (name it, Google, Epodoc	of data base and, where practicable, sea	rch terms used)
C. DOCUM	MENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where app	propriate, of the relevant passages	Relevant to claim No.
Α	EP 1018795 A1 (LG Electronics Inc) The whole document	12 July 2000 (12.07.2000)	1-20
Α	WO 2004/069020 A2 (LG Electronics (19.08.2004) page 3, line 24 to page 4, line18; page line 21 to page 21, line 14; figures 3, 54	18, lines 10 to 14; page 20,	1-20
A	US 2003/151325 A1 (Choi et al.) 14 // paragraphs [0028], [0029], [0055] to [0 figures 3 and 4	August 2003 (14.08.2003) 0063], [0086] and [0087],	1-20
		FD2	
* Special to be of to be of "E" earlier a filing da "L" docume cited to special to "O" docume means "P" docume	documents are listed in the continuation of Box C. categories of cited documents: nt defining the general state of the art which is not considere particular relevance application or patent but published on or after the international tee. In which may throw doubts on priority claim(s) or which to establish the publication date of another citation or othe reason (as specified) and referring to an oral disclosure, use, exhibition or othe mut published prior to the international filing date but later tha rity date claimed	al "X" document of particular releva cannot be considered novel or ca is an inventive step when the document of particular releva cannot be considered to involve er document is combined with documents, such combination	with the application but clied only underlying the invention net; the claimed invention nnot be considered to involve ment is taken alone net; the claimed invention an inventive step when the one or more other such being obvious to a persor
· · · · · · · · · · · · · · · · · · ·	actual completion of the international search 9 January 2009 (09.01.2009)	Date of mailing of the international se 9 March 2009 (09	earch report .03.2009)
	nailing address of the ISA/AT Austrian Patent Office esdner Straße 87, A-1200 Vienna	Authorized officer GLÓDI Istv	ván
	No. +43 / 1 / 534 24 / 535	Telephone No +36 /1/ 474-58	65

INTERNATIONAL SEARCH REPORT Information on patent family members

International application No. PCT/KR 2005/003758

EP A 1018795 US E1 RE39416E 2006-1: KR A 20000052275 2000-0 KR A 20000051349 2002-0 US B1 6396177 2002-0 CN A 1260624 2000-0 WO A 2004069020 KR A 20040071414 2004-0 KR A 20040071413 2004-0 KR A 20040071398 2004-0 KR A 20040071394 2004-0 KR A 20040071393 2004-0		ent document cited in search report	Publication date			ent family ember(s)	Publication date
WO A 2004069020 KR A 20040071413 2004-0 KR A 20040071398 2004-0 KR A 20040071394 2004-0 KR A 20040071394 2004-0 KR A 20040071393 2004-0 KR A 20040071393 2004-0 CN A 1809661 2006-0	EP A	1018795		US KR KR US	E1 A A B1	RE39416E 20000052275 20000051349 6396177	2008-06-16 2006-12-05 2000-08-16 2000-08-16 2002-05-28 2000-07-19
	WO A	2004069020		KR KR KR KR	A A A	20040071413 20040071398 20040071394 20040071393	2004-08-12 2004-08-12 2004-08-12 2004-08-12 2004-08-12 2006-07-26
	US A	2003151325		US	A1.	2003151325	2003-08-1

PATENT COOPERATION TREATY

To: PCT **BAHNG Hae Cheol KBK & ASSOCIATES** WRITTEN OPINION OF THE 15 th Floor Yosam Building 648-23. INTERNATIONAL SEARCHING AUTHORITY Yeoksam-dong, Kangnam-gu, Seoul, 135-080 (PCT Rule 43bis.1) Republic of Korea Date of mailing 9 March 2009 (09.03.2009)P (day/month/year) FOR FURTHER ACTION Applicant's or agent's file reference AZ05-276WOWW See paragraph 2 below Priority Date (day/month/year) International filing date (day/month/year) International application No. 8 November 2005 (08.11.2005) 16 November 2004 (16.11.2004) PCT/KR 2005/003758 International Patent Classification (IPC) or both national classification and IPC H02K 9/00 (2006.01); H02K 21/02 (2006.01) Applicant LG ELECTRONICS INC. 1. This opinion contains indications relating to the following items: Cont. No. I Basis of the opinion Cont. No. II Priority Cont. No. III Non-establishment of opinion with regard to novelty, inventive step and industrial applicability Cont. No. IV Lack of unity of invention Cont. No. V Reasoned statement under Rule 43bis.1(a)(i) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement Cont. No. VI Certain documents cited Cont. No. VII Certain defects in the international application Cont. No. VIII Certain observations on the international application 2. FURTHER ACTION If a demand for international preliminary examination is made, this opinion will be considered to be a written opinion of the International Preliminary Examining Authority ("IPEA") except that this does not apply where the applicant chooses an Authority other than this one to be the IPEA and the chosen IPEA has notified the International Bureau under Rule 66.1 bis(b) that written opinions of this International Searching Authority will not be so considered. If this opinion is, as provided above, considered to be a written opinion of the IPEA, the applicant is invited to submit to the IPEA a written reply together, where appropriate, with amendments, before the expiration of 3 months from the date of mailing of Form PCT/ISA/220 or before the expiration of 22 months from the priority date, whichever expires later. For further options, see Form PCT/ISA/220. 3. For further details, see notes to Form PCT/ISA/220. Authorized officer Name and mailing address of the ISA/AT GLÓDI István Austrian Patent Office Dresdner Straße 87, A-1200 Vienna

Telephone No. +36 /1/ 474-5865

Facsimile No. +43 / 1 / 534 24 / 535

WRITTEN OPINION OF THE INTERNATIONAL SEARCHING AUTHORITY

International application No. PCT/KR 2005/003758

Continuation No. I

Basis of the opinion

1. With regard to the **language**, this opinion has been established on the basis of a translation from the original language into the following language: ENGLISH, which is the language of a translation furnished for the purposes of international search (under Rules 12.3 and 23.1(b)).

Continuation No. V

Reasoned statement under Rule 43bis.1(a)(i) with regard to novelty, inventive step or industrial applicability; citations and explanations supporting such statement

1. Statement

Novelty (N)	Claims 1-20	YES
	Claims	NO
Inventive step (IS)	Claims 1-20	YES NO
	Claims	
Industrial applicability (IA)	Claims 1-20	YES
	Claims	NO

2. Citations and explanations:

Reference is made to the following documents:

D1: EP 1018795 (A1)

D2: WO 2004/069020 (A2)

D3: US 2003/151315 (A1)

D1 relates to a structure of a rotor for a brushless motor which can improve structural stiffness, restrict noise generation by reducing vibration during the rotation, use cheap materials, reduce a fabrication cost by fabricating a back yoke and a base plate unit in a single body, improve durability, and efficiently cool a heat generated in the motor during the operation by facilitating an external air inflow. The structure of the rotor for the brushless motor includes: a steel plate frame provided with a base plate unit in a disc shape having a plurality of insertion holes at its centre portion, a plurality of radiation holes being formed at a circumferential portion of the insertion holes, a plurality of blades being formed at side portions of the radiation holes by cutting; a back yoke unit curved and extended in the upward direction, having a predetermined height at the circumferential portion of the base plate

WRITTEN OPINION OF THE INTERNATIONAL SEARCHING AUTHORITY

International application No. PCT/KR 2005/003758

unit; and a radius-direction enhancing unit formed at the upper end portion of the back yoke unit; one or a plurality of ring type permanent magnets fixedly connected to the inner side portion of the back yoke unit; a connecting member inserted into the insertion hole positioned at the centre, and connected to the steel plate frame; ; and a fixing unit fixing a driving shaft inserted into the connecting member and connected to the other constitutional elements.

D2 discloses a washing machine including an outer tub in a cabinet for holding washing water, an inner tub rotatable mounted on an inside of the outer tub having an agitating device rotatable mounted therein, a power transmission device having a washing shaft connected to the agitating device and a spinning shaft connected to the inner tub, a driving motor on an outside of the outer tub having a rotor assembly with a magnetism, and a hollow stator assembly arranged in the rotor, a clutch assembly for selective transmission of a driving power from the driving motor to the spinning shaft depending on operation modes, and a drain device for draining the washing water to an outside of the washing machine.

D3 discloses an outer rotor type induction motor. The outer rotor type induction motor includes a driving shaft, a stator core fixed to a frame and having a plurality of stator slots so that the driving shaft penetrates a centre of the stator core, a coil wound on the stator slots so as to form a rotating magnetic field, a rotor housing installed outside the stator core so as to maintain a predetermined slit with the stator core wherein the driving shaft is coupled through a bottom centre of the rotor housing, a rotor conductor coupled with an inner circumference face of the rotor housing so as to generate a torque by the rotating magnetic field of the coil, and a plurality of upper blades installed at an upper end of the rotor housing so as to leave a predetermined interval therebetween wherein an external air is forcibly sucked in to cool the coil when the rotor housing revolves.; The present invention secures sufficiently the space for coil winding to provide automation of winding the coil on the stator core, thereby enabling mass production to reduce product cost.

Object of the present invention is to provide an outer rotor of a motor for a direct drive drum type washing machine, in which a structure of the outer rotor is improved, to resolve throbbing of the outer rotor at the time of high speed rotation, and consequential noise, and to provide a variety of products. For this, the outer rotor having a rotor frame with a bottom, a side wall extended from a circumference of the bottom substantially perpendicular to the bottom, and magnets mounted on an inside of the side wall, wherein the bottom of the rotor frame is elevated in a direction of extension of the side wall on the whole.

Independent claim 1: "An outer rotor having a rotor frame with a bottom, a side wall extended from a circumference of the bottom substantially perpendicular to the bottom, and magnets mounted on an inside of the side wall, wherein the bottom of the rotor frame is elevated in a direction of extension of the side wall on the whole".

None of documents D1 to D3 cited in the search report disclose nor suggest feature "the bottom of the rotor frame is elevated in a direction of extension of the side wall on the whole". Therefore the subject matter of said claim is novel and involves an inventive step either.

Independent claims 11 and 17 include all features of independent claim 1, consequently their subject matters are also new and involve an inventive step.

Dependent claims 2 to 10, 12 to 16 and 18 to 20 add only additional features to the independent claims what they relate to, therefore dependent claims are new and involve an inventive step either.

The industrial applicability is given.